

TECHNICAL SPECIFICATION

INDOOR DOWNLIGHT CR-777 / CR-778



Technical data

- Nominal voltage: 12VAC
- Lampholder: GU 5.3
- Rated power: max. 50W
- Housing: Aluminium with glass and crystal
- Colour of the housing: Chrome and black; Chrome and clear
- Cutting hole: 60mm

Areas of application

- Domestic application
- Accent lighting
- Indoor lighting
- Decorative lighting


Product benefits

- Attractive design
- Luxury appearance
- Suitable for indoor mounting
- Glass and crystal material body
- The glass and crystal housing allows the light to spread through it
- Environmentally friendly - no mercury and lead
- Resistant to shock and vibration stable body

Dimensions

Model	Description	Colour body	Size				Catalogue number
			Width	Length	Height	Cutting hole	
925777R/BK	Spotlight	Chrome and black	90	-	25	60	925777R/BK
925777S/BK	Spotlight	Chrome and black	90	90	25	60	925777S/BK
925778R/CL	Spotlight	Chrome and clear	90	-	25	60	925778R/CL
925778S/CL	Spotlight	Chrome and clear	90	90	25	60	925778S/CL

Energy efficiency



Standards

EN 55015

EN 61000-3-2

EN 61000-3-3

EN 61547

EN 60598-1, EN 60598-2-3

